

# **City of Dayton**

## **PUBLIC WORKS DESIGN STANDARDS**

*Last Updated **April 2021***  
*Originally adopted September 2006*

**City of Dayton, Oregon**  
**PO Box 339**  
**Dayton, OR 97114**  
**(503) 864-2221**

**PUBLIC WORKS DOCUMENTS ORDER FORM**

Name: \_\_\_\_\_

Company/Organization: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

\_\_\_\_ Copies of Dayton Development Ordinance @ \$30.00.....\$ \_\_\_\_\_

\_\_\_\_ Copies of Dayton Zoning & Utility Maps @ \$35.00.....\$ \_\_\_\_\_

\_\_\_\_ Copies of Public Works Design Standards @ \$45.00.....\$ \_\_\_\_\_

Postage & Shipping .....\$ \_\_\_\_\_

Total \$ \_\_\_\_\_

**Make Checks Payable to the City of Dayton Prepaid Orders Only**  
*Add \$5.00 postage/shipping for orders that must be shipped (standard U.S. mail or UPS ground service).*

Mail Orders to: City of Dayton  
PO Box 339  
Dayton, OR 97114

Available at: Dayton City Hall  
416 Ferry Street  
Dayton, OR 97114

**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
<b>DIVISION 1 GENERAL REQUIREMENTS .....</b>	<b>1-1</b>
Eas GENERAL .....	1-1
1.2 PURPOSE .....	1-2
1.3 ENGINEERING POLICY .....	1-3
1.4 DEFINITIONS AND TERMS .....	1-4
1.5 LOCATION OF UTILITIES WITHIN RIGHT-OF-WAY OR EASEMENT .....	1-8
1.6 PROVIDING FOR NEW & FUTURE DEVELOPMENT .....	1-9
1.7 TIME LIMITS FROM DRAWING APPROVAL TO CONSTRUCTION .....	1-10
1.8 PHASED DEVELOPMENT .....	1-10
1.9 REVIEW PROCEDURE.....	1-10
1.10 CONSTRUCTION DRAWING SUBMITTAL REQUIREMENTS.....	1-14
1.11 EASEMENTS, ETC.....	1-29
1.12 PUBLIC WORKS VARIANCES TO DESIGN STANDARDS.....	1-31
1.13 PRECONSTRUCTION CONFERENCE.....	1-33
1.14 CONSTRUCTION OBSERVATION, INSPECTION & TESTING.....	1-34
1.15 WARRANTY INSPECTIONS :.....	1-38
1.16 AS-BUILT DRAWINGS .....	1-39
<b>DIVISION 2 STREETS.....</b>	<b>2-1</b>
2.1 PURPOSE .....	2-1
2.2 APPLICABILITY .....	2-1
2.3 SPECIAL ITEMS.....	2-3
2.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	2-3
2.5 CONSTRUCTION DRAWINGS.....	2-4
2.6 STANDARD DETAILS.....	2-4
2.7 EXISTING STREET CLASSIFICATIONS .....	2-4
2.8 OTHER JURISDICTIONS .....	2-5
2.9 DEFINITIONS AND TERMS .....	2-5
2.10 MATERIALS .....	2-9
2.11 IMPROVEMENT STANDARDS BY STREET CLASSIFICATION.....	2-12
2.12 STREET DESIGN MINIMUM SECTIONS.....	2-13
2.13 OVERLAYS.....	2-14
2.14 HORIZONTAL ALIGNMENT.....	2-15
2.15 MONUMENTATION .....	2-16
2.16 INTERSECTIONS & PEDESTRIAN CROSSINGS .....	2-16
2.17 VERTICAL ALIGNMENT AND STREET GRADES.....	2-19
2.18 STREET CROSS SECTIONS AND STREET CROSS SLOPES.....	2-21
2.19 GRADING WITHIN PUBLIC RIGHT-OF-WAY.....	2-22
2.20 CURBS AND GUTTERS .....	2-22
2.21 SIDEWALKS & MULTI-USE ACCESS ROUTES .....	2-23
2.22 CLEAR VISION AREA.....	2-26
2.23 CUL-DE-SACS, TURNAROUNDS .....	2-27
2.24 STUB STREETS, VEHICULAR NON-ACCESS PROVISIONS.....	2-28
2.25 TRANSITIONS.....	2-29
2.26 SUBSURFACE DRAINAGE.....	2-29
2.27 ACCESSIBLE ON-STREET PARKING .....	2-29
2.28 PARKING LOTS .....	2-30
2.29 DRIVEWAY SPACING & LOCATION.....	2-32
2.30 DRIVEWAYS, DRIVEWAY APPROACHES, ALLEYS.....	2-32
2.31 PRIVATE STREETS, COMMON DRIVEWAYS AND FLAGLOTS .....	2-34
2.32 STREET LIGHTING .....	2-36

**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
2.33 BARRICADES AND GUARDRAILS.....	2-37
2.34 BIKEWAYS .....	2-37
2.35 STREET SIGNS.....	2-37
2.36 CUTTING EXISTING STREETS & RESTORATION REQUIREMENTS .....	2-38
<b>DIVISION 3 STORMWATER MANAGEMENT .....</b>	<b>3-1</b>
3.1 PURPOSE .....	3-1
3.2 APPLICABILITY .....	3-1
3.3 SPECIAL ITEMS.....	3-2
3.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	3-3
3.5 CONSTRUCTION DRAWINGS.....	3-3
3.6 STANDARD DETAILS.....	3-3
3.7 DEFINITIONS AND TERMS .....	3-4
3.8 MATERIALS.....	3-6
3.9 GENERAL DESIGN CONSIDERATIONS .....	3-11
3.10 DESIGN CALCULATIONS AND CAPACITY.....	3-14
3.11 OPEN CHANNELS .....	3-19
3.12 STORM DRAIN ALIGNMENT AND LOCATION .....	3-19
3.13 STORM DRAIN MINIMUM PIPE SIZE .....	3-22
3.14 STORM DRAIN MINIMUM COVER .....	3-22
3.15 STORM DRAIN MINIMUM SLOPE & ROUGHNESS COEFFICIENT .....	3-22
3.16 UNDERGROUND WARNING TAPE & TRACER WIRE .....	3-24
3.17 MANHOLES AND CATCH BASINS.....	3-24
3.18 DETENTION FACILITIES .....	3-27
3.19 PRIVATE STORM DRAINAGE COLLECTION SYSTEMS.....	3-33
3.20 INFILTRATION SYSTEMS, DRYWELLS AND FRENCH DRAINS .....	3-33
3.21 STORM DRAIN SERVICE LATERALS .....	3-35
<b>DIVISION 4 SANITARY SEWER .....</b>	<b>4-1</b>
4.1 PURPOSE .....	4-1
4.2 APPLICABILITY .....	4-1
4.3 SPECIAL ITEMS.....	4-2
4.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	4-2
4.5 CONSTRUCTION DRAWINGS.....	4-3
4.6 STANDARD DETAILS.....	4-3
4.7 DEFINITIONS AND TERMS .....	4-3
4.8 MATERIALS.....	4-6
4.9 GENERAL DESIGN CONSIDERATIONS .....	4-11
4.10 DESIGN PERIOD .....	4-13
4.11 SEWER DESIGN BASIS & CAPACITY.....	4-13
4.12 SEWER MINIMUM SIZE .....	4-15
4.13 SEWER MINIMUM DEPTH.....	4-15
4.14 SEWER MINIMUM SLOPE & ROUGHNESS COEFFICIENT .....	4-16
4.15 SEWER ALIGNMENT AND LOCATION.....	4-17
4.16 MANHOLES AND MAINLINE CLEANOUTS .....	4-21
4.17 WORK ON EXISTING SEWERS .....	4-26
4.18 SEWER SERVICE LATERALS.....	4-28
4.19 PRIVATE COLLECTION SYSTEMS .....	4-32
4.20 UNDERGROUND WARNING TAPE & TRACER WIRE .....	4-33
<b>DIVISION 5 WATER DISTRIBUTION .....</b>	<b>5-1</b>
5.1 PURPOSE .....	5-1
5.2 APPLICABILITY .....	5-1

**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
5.3 SPECIAL ITEMS.....	5-2
5.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	5-2
5.5 CONSTRUCTION DRAWINGS.....	5-3
5.6 STANDARD DETAILS.....	5-3
5.7 DEFINITIONS AND TERMS .....	5-3
5.8 MATERIALS.....	5-6
5.9 GENERAL DESIGN CONSIDERATIONS .....	5-20
5.10 WATER SYSTEM CAPACITY .....	5-21
5.11 LOOPING .....	5-23
5.12 BLOWOFFS.....	5-23
5.13 MINIMUM DEPTH .....	5-24
5.14 MINIMUM MAINLINE SIZE.....	5-25
5.15 WATERLINE ALIGNMENT AND LOCATION .....	5-25
5.16 VALVES.....	5-28
5.17 FIRE HYDRANTS.....	5-30
5.18 AIR RELEASE VALVES .....	5-32
5.19 WATER SERVICE LINES .....	5-32
5.20 WATER METERS .....	5-36
5.21 PRIVATE WATER SYSTEMS .....	5-39
5.22 BACKFLOW PREVENTION.....	5-40
5.23 UNDERGROUND WARNING TAPE & TRACER WIRE .....	5-42
5.24 MAINLINE BORED CROSSINGS .....	5-42

**APPENDICES**

**APPENDIX A – STANDARD DETAILS & SAMPLE TEST REPORT FORMS**

**• A1 - General Requirements**

Latest Revision

101	Typical Utility Locations (Curbed Streets) .....	8/18
102	Typical Utility Locations (Turnpike and 3/4 Streets) .....	8/18
115	Survey Monument Box (in Streets or Public Sidewalks).....	9/20

**• A2 - Streets**

Latest Revision

201-1	30' Residential Street (Local Class I), Minimum Section .....	8/19
201-2	32' Residential Street (Local Class II), Minimum Section .....	8/19
201-3	34' Residential Street (Local Class III), Minimum Section .....	8/19
202	36' Collector Street, 36' Commercial Street, Minimum Section .....	8/19
203	36' Industrial Street, Minimum Section .....	8/19
204	Arterial Street, Minimum Section .....	8/19
205	Standard Cul-de-sac (Residential) .....	12/15
206	Offset Cul-de-sac (Residential) .....	12/15
207	Eyebrow Cul-de-sac (Residential) .....	12/15
210	Type "A" Curb and Gutter and Weephole .....	8/20
211	Type "C" Curb and Weephole.....	8/20
212	Curblin Sidewalks and Driveway Apron.....	2/21
212A	Residential D/W Apron, Curblin Sidewalk, Uphill Lots only.....	2/21
213	Property Line Sidewalks and Driveway Apron.....	2/21
213A	CBU Mailbox & Ramp w/ Property Line Sidewalk .....	8/20
213B1	48" Square Tree Well Cover Panels .....	6/19

**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
213B2 24" Deep, 30"φ, 4 Panel Root Barrier Tree Wells .....	2/19
213C 24" Deep, 38"φ, 5 Panel Root Barrier Tree Wells .....	2/19
214A Intersection Curb Ramps, Curblin Sidewalks, Local Streets .....	8/20
214B Intersection Curb Ramps, Property Line Sidewalks, Local Streets .....	8/20
214C Curb Ramps Between Intersections.....	8/20
216 Commercial Driveway Approach .....	8/20
217 Curb Knockout for New Driveways on Existing Curbed Streets .....	8/20
218 Concrete Valley Gutter (Typ for use in Alleys & Parking Lots) .....	8/20
219 AC Street Cut for Street Widening or Extension .....	10/16
220 Hammerhead Turnaround (Private Drives).....	2/18
225 Street Barricade (Stub Streets) .....	9/16
226 6-inch Bollard (Guard Post) .....	10/19
227 8-inch Bollard (Guard Post) .....	10/19
228 30" Tall Collapsible Padlockable Bollard .....	10/19
230 Typical Street Lamp Post .....	10/19
231 Sign Post for Street Signs, Stop Signs & Traffic Control Signs .....	10/20
232 Sign Post with TeleSpar Base & Anchor (Required in ODOT R.O.W).....	10/20
235 Offstreet Parking Dimensions, One Way Traffic Flow .....	8/19
236 Offstreet Parking Dimensions, Two Way Traffic Flow .....	8/19
237 Double Accessible Parking Space .....	8/19
238 Accessible Routes and Crossings in Vehicular Areas .....	11/13
239 Precast Wheelstop Detail.....	1/13
240 Trash and Recycling Enclosure .....	5/14
<b>• A3 – Stormwater Management</b>	Latest Revision
▶ For full size manholes, see Details 401 – 403A	
▶ For storm sewer service laterals, see Details 415 & 416	
▶ For bore casing detail, see Detail 508	
301 Trench Backfill, Bedding and Pipe Zone .....	2/20
302 Minor or Private Street & AC Driveway Cut Surface Restoration .....	12/15
302A AC Street Cut Surface Restoration w/Bench Grind .....	12/15
302D ODOT Trench Crossing, Trench Backfill & Surface Restoration .....	7/19
303 Gravel Surface Restoration .....	12/15
304 Native Surface Restoration .....	12/15
310 Standard Side-Inlet Grated Catch Basin .....	9/20
311 Oversize Side-Inlet Grated Catch Basin .....	9/20
311A Curb Inlet Catch Basin (Special Use Only) .....	2/21
312 Catch Basin Grate Details .....	9/20
313 Type 3 Ditch Inlet Catch Basin .....	9/20
313A Storm Outlet Energy Dissipator Basin .....	9/20
315 Parking Lot Catch Basin (Precast Concrete) .....	7/12
316 Parking Lot Catch Basin (Lynch Style) .....	7/12
317 Parking Lot Catch Basin (Traffic Rated PVC w/Trap, Ductile Iron Frame/Grate) .....	1/13

**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
320	Pollution/Flow Control Manhole ..... 8/20
330	Kuenzi Manhole ..... 8/20
331	Kuenzi Manhole w/Waterline Casing (Existing Waterline)..... 8/20
332	Kuenzi Manhole w/Waterline Casing (New Waterline) ..... 8/20
350	24" Diameter Storm Manhole ..... 3/08
351	24" Diameter Storm Manhole (Traffic Rates PVC w/Solid Ductile Iron Frame/Cover)..... 8/12
355	Private Area Drain, Non-Traffic Areas ..... 4/19
362	Concrete Pipe End Cap with Grate ..... 8/20
370A	Trash Trap & Leach Line Plan ..... 2/21
370B	Trash Trap & Leach Line Details ..... 2/21
<b>Test Reports</b>	
▶	Storm Sewer Mandrel Test Report
• <b>A4 – Sanitary Sewers</b>	Latest Revision
▶	For trench backfill and surface restoration, see Details 301 – 304
▶	For bore casing detail, see Detail 508
401	Standard Manhole for 21" Pipe and Smaller ..... 8/20
402	Flattop Manhole for 21" Pipe and Smaller ..... 8/20
403	Manhole for 24" and 27" Pipe ..... 8/20
403A	Deep Manhole for 24" and 27" Pipe..... 8/20
404	Inside Drop Connection for Sanitary Sewer Manhole ..... 3/19
405	Manhole Frame and Cover (Standard and Suburban)..... 12/15
406	Lockdown Manhole Frame and Cover..... 12/15
407	Manhole Rim Adjustment Details ..... 11/18
411	Mainline Cleanout ..... 8/20
415	Sewer & Storm Service Lateral ..... 7/20
416	Standard Service Lateral Cleanout (Sewer & Storm)..... 10/19
419	Inserta-Tee Connection to Existing Sewer or Storm Drain..... 12/15
<b>Test Reports</b>	
▶	Manhole Vacuum Test Report
▶	Sanitary Sewer Air Test Report
▶	Sanitary Sewer Mandrel Test Report
▶	Pipeline TV Inspection Report
• <b>A5 – Water Distribution</b>	Latest Revision
▶	For trench backfill and surface restoration, see Details 301 - 304
501	Gate Valve and Valve Box Detail ..... 8/20
502	Butterfly Valve and Valve Box Detail ..... 8/20
503	Standard Fire Hydrant Assembly ..... 11/20
505	Tapping Tee and Valve ..... 9/18
506	Mainline Blowoff Assembly ..... 9/20
507	Standard Blowoff with Plugged End ..... 8/20
508	Bore Casing, Carrier Pipe & Casing Spacer Detail ..... 8/15

**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
510	Horizontal Thrust Blocking ..... 9/14
511	Straddle Block for 12" & Smaller Pipe ..... 7/19
512	Vertical Thrust Blocking ..... 9/06
515	Typical 1" Water Service ..... 1/21
516	1½" and 2" Meter Set with 1" High Bypass ..... 7/19
517	Tapping Requirements, 1½" & Larger Service ..... 7/19
518	1" Combination Air Release Valve (CARV) ..... 3/20
523	3" Domestic Water Meter ..... 12/19
524	4" Domestic Water Meter ..... 12/19
525	6" Domestic Water Meter ..... 12/19
526	8" Domestic Water Meter ..... 12/19
527	Water Meter Vault Bypass Valve Lock ..... 8/14
528	Water Meter Test Port Assembly ..... 3/17
529	Galvanized Pipe Supports w/Galvanized Ext Pipe ..... 1/18
531	2" & Smaller Double Check Valve Assembly ..... 8/15
541	2" & Smaller Reduced Pressure Backflow Assembly ..... 8/20
543	3" Reduced Pressure Backflow Assembly ..... 8/20
544	4" Reduced Pressure Backflow Assembly ..... 8/20
545	6" Reduced Pressure Backflow Assembly ..... 8/20
550	Fire Service Line Connection Requirements (1½" & Larger Service) ..... 8/18
554	4" Double Check Detector Assembly w/FDC ..... 1/20
555	6" Double Check Detector Assembly w/FDC ..... 1/20
556	8" Double Check Detector Assembly w/FDC ..... 1/20
559	4" Forward Flow Test Port inside DCDA Vault (For NFPA 13 & 25 Tests) ..... 11/18
560	Below Grade Check Valve & Ball Drip Valve, in Close Bottom Drain Structure ..... 2/20
561	Below Grade Check Valve & Ball Drip Valve, in Open Bottom Drain Structure ..... 2/20
562	FDC Line Ball Drip Drain Valve (Check Valve in Building), Open Bottom Drain Structure ..... 2/20

**Test Reports**

- ▶ Waterline Pressure Test Report

**• A6 - Erosion Control**

610	Temporary Construction Entrance ..... 5/13
611	Sediment Barriers ..... 4/14
612	Straw Wattle Sediment Barrier ..... 6/15
613	Inlet Sediment Control ..... 4/14
614	Ditch & Swale Protection ..... 4/14
615	Silt Sack Inlet Detail ..... 9/06
616	Temporary Concrete Washout Area (CWA) ..... 11/18
617	Stockpile Cover Detail ..... 1/19



**CITY OF DAYTON  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
<u>APPENDIX B - Standard Construction Notes</u>	
<u>APPENDIX C - Utility Companies And Agencies</u>	
<u>APPENDIX D - Standard Easement Forms, Etc.</u>	
<u>APPENDIX E - Sample Insurance Certificates</u>	
<u>APPENDIX F - Adopting Ordinance &amp; Resolutions</u>	
<u>APPENDIX G - Construction Drawing Review, Public Works Permit, Construction Requirements &amp; Procedures</u>	
<u>APPENDIX H – Dayton Small Wireless Facilities Design &amp; Construction Standards</u>	

## PREFACE

These design standards have been developed by the City of Dayton to provide a uniform set of standards for public improvements. The intent of these standards is to provide guidelines for the construction of public facilities that will provide an adequate service level for the present as well as for future development. The format has been kept brief and no attempt has been made to cover all possible situations or to provide lengthy explanations.

These design standards are intended to be used in conjunction with the City's PWCS - Public Works Construction Standards (*ie. the Oregon Standard Specifications for Construction – OSSC (ODOT/APWA), most recent edition except as otherwise noted herein*). The PWCS are subject to the material, equipment and provisions specified in these PWDS. In the event of discrepancies between the requirements in these PWDS and the Public Works Construction Standards (PWCS) or between the text of these PWDS and the standard details, the more stringent requirements as determined by the City Engineer and Public Works Director shall apply.

Copies of these design standards can be obtained from City of Dayton, Oregon , PO Box 339 , Dayton, OR 97114 .

It is anticipated that revisions to the design standards will be made from time to time. The date appearing on the title page is the date of latest revision of the text portion of the standards. The date appearing on the details is the date of latest revision of that particular detail.